lambert&fils



CLIFF SUSPENSION

The Cliff Collection brings together the best of Lambert & fils Studio in its use of many signature elements. Natural brass and matte black rods provide structure for lamps with elegant shades and a range of spherical bulbs. The finishing and connection details complete this full collection of lamps, giving character and nuance to their robust, functional forms.

type: pendant

construction: brass body and hardware

milk glass globes

specifications: source: LED lamp provided (G9 base)

power consumption: 1 x 4.5W, 4 x 3.5W

lumen output: 1573lm

colour temperature: 2700K included * 3000K available upon request

colour rendering index: 80 CRI standard


* ≥ 90 CRI upon request expected lifetime: 25 000h

control: refer to our recommended list of dimmer models

total height: 24" 30" 36" 42" 54" 61 cm 76 cm 91 cm 107 cm 137 cm


weight: min. 3.7 lb / 1.7 kg - max. 4.1 lb / 1.9 kg


warranty: 2 years



lambert&fils

ORDER GUIDE: SKU





FINISH





brass

graphite

CANOPY swivel option for slanted ceiling



NOTES:

- must be installed by an electrician
- not protected against liquids (refer to IP20) $\,$
- additional charges for modifications or for special orders
- please refer to maintenance sheet on website for cleaning instructions

lambert&fils

DIMMER SPECIFICATIONS

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.


DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
LUTRON - MAESTRO LUTRON - SKYLARK	MAELV-600 SELV-300P	0% 0%	100% 100%	0%-10% no	good very good
LUTRON - SKYLARK	SELV-303P	0%	100%	no	very good
LUTRON - SKYLARK LUTRON - DIVA	CTELV-303P DVELV-300P	0% 0%	100% 100%	no no	very good very good
LEGRAND - ADORNE	TRUE UNIVERSAL	30%	100%	no	good

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS - 230V

DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
VARILIGHT	V-PRO	2%	100%	no	very good
LEGRAND - NILOÉ	3 996 35	15%	87%	no	good
NIKO	310-0280X	5%	94%	no	very good
NIKO	310-0190X	1%	100%	no	very good

^{*}Other dimmers can yield good results and we recommend conducting your own test before final installation.

EU ENERGY LABEL



Updated: Oct 2022