

Glass 120. Pendant

Photo: GLS-120-BAL-01

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

additional extra

GLS-120	BAL	01				
Model	Finish	Pendant	Temperature +	Canopy		
Model	01100		Pendant Dimension	Canopy Dimension	Driver	Input Voltage
GLS-120	Glass 120		Ø4.75 Ø120mm	Ø4.5in X H0.25in Ø115mm X H6mm	Integral in J-Box	120V 50/60Hz
Finish					Lamping	Output Voltage
BAL	Brushed Aluminum	n	Material	Weight	90CRI	12V
BBR	Brushed Brass		Aluminum	1lb	1.8W	
			Glass	0.45kg	220lm	Certification
Canopy Fi	inish			0		A
MWH	Matte White		Mounting	Temperature	Lamp Life	e ta contraction and the contraction of the contrac
BNI	Brushed Nickel		J-Box, Deep	2200K	15K hours	
PCR	Polished Chrome		min. H2.125in	2700K		
				3000K		
Туре				3500K		
01	Pendant					

@ 2023, anony. All rights reserved. For more information & replacement lamps email sales@anony.ca





Glass 120. Pendant

Photo: GLS-120-BBR-01

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

ltem Cod	e						
GLS-120	BBR	01					
Model	Finish	Pendant	Temperature	+	Canopy		
Model GLS-120	Glass 120		Pendant Dimension Ø4.75		Canopy Dimension Ø4.5in X H0.25in	Driver Integral in J-Box	Input Voltage 120V 50/60Hz
Finish			Ø120mm		Ø115mm X H6mm	Lamping	Output Voltage
BAL BBR	Brushed Aluminur Brushed Brass	n	Material Aluminum Glass		Weight 1lb 0.45kg	90CRI 1.8W 220Im	12V Certification
Canopy F	inish		GIASS		0.45kg	220111	
MWH PBR	Matte White Polished Brass		Mounting J-Box, Deep min. H2.125in		Temperature 2200K 2700K	Lamp Life 15K hours	e e e e e e e e e e e e e e e e e e e
Type 01	Pendant		11111.112.12311		3000K 3500K		
Standard additiona	cable length 10' l extra						

@ 2023, anony. All rights reserved. For more information & replacement lamps email sales@anony.ca





Glass 120. Chandelier

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

Item Code

GLS-120	BAL	03		
Model	Finish	Chandelier	Temperature	
Model		P	endant Dimension	Canopy Dim
GLS-120	Glass 120	Ø	4.75	Ø8in X H1.25
		Ø	120mm	Ø200mm X I
Finish				
BAL	Brushed Aluminu	m M	aterial	Weight
BBR	Brushed Brass	А	uminum	5.5lbs
		G	ass	2.5kg
Туре				
03	Chandelier	M	ounting	Temperatur
		J-	Box	2200K
Standard	cable length 10'			2700K
additiona	lextra			3000K

mension 25in H32mm

ıre 3500K

Dimming A. ELV Contact Studio B. 0-10V

Driver Integral in Canopy

Lamping 90CRI 5.4W 660lm

Lamp Life 15K hours

Input Voltage 120V 50/60Hz

Output Voltage 12V

408 - 9 Davies Ave. Toronto, ON

Ioronto, ON M4M 2A6 +1 416 994 9617 sales@anony.ca



Glass 120. Chandelier

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

Item Code

item cou	6			
GLS-120	BBR	03		
Model	Finish	Chandelier	Temperature	
Model GLS-120	Glass 120		ndant Dimension 4.75	Canopy Dimension Ø8in X H1.25in
		Ø1	20mm	Ø200mm X H32mm
Finish				
BAL	Brushed Aluminu	m M a	aterial	Weight
BBR	Brushed Brass	Alı	uminum	5.5lbs
BBIG	Brached Brace		ass	2.5kg
Туре		Gin		2.0109
	Ob a stall a st			T
03	Chandelier		ounting	Temperature
		J-1	Box	2200K
Standard	cable length 10'			2700K
additiona	extra			3000K
				3500K

Dimming A. ELV Contact Studio B. 0-10V

> **Driver** Integral in Canopy

Lamping 90CRI 5.4W 660Im Lamp Life 15K hours

Input Voltage 120V 50/60Hz

Output Voltage 12V





Photo: GLS-120-BAL-05

Glass 120. Chandelier

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

Item Code

GLS-120	BAL	05		
Model	Finish	Chandelier	Temperature	
Model		F	endant Dimension	Canopy D
GLS-120	Glass 120	Ø	04.75	Ø10in X H
		Ø	0120mm	Ø250mm
Finish				
BAL	Brushed Aluminur	n N	Aaterial	Weight
BBR	Brushed Brass	A	Juminum	8.5lbs
		G	lass	3.85kg
Туре				-
05	Chandelier	N	lounting	Tempera
		J	-Box	2200K
Standard	cable length 10'			2700K
additional	extra			3000K

Dimension -11.25in X H32mm

ature 3000K 3500K

Dimming A. ELV B. 0-10V

Driver Integral in Canopy


Lamping 90CRI 9W 1100lm

Lamp Life 15K hours

Input Voltage 120V 50/60Hz

Output Voltage 12V





Glass 120. Chandelier

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

Item Code

GLS-120	BBR	05		
Model	Finish	Chandelier	Temperature	
Model	01 400		ndant Dimension	Canopy
GLS-120	Glass 120	, 	75 20mm	Ø10in X Ø250m
Finish				
BAL	Brushed Aluminur	n M a	aterial	Weight
BBR	Brushed Brass	Alı	uminum	8.5lbs
		Gla	ass	3.85kg
Туре				
05	Chandelier		bunting Box	Tempe 2200K
Standard	cable length 10'			2700K
additiona	lextra			3000K

Canopy Dimension MOin X H1.25in M250mm X H32mm

Veight

Temperature 2200K 2700K 3000K 3500K Dimming A. ELV B. 0-10V

Driver Integral in Canopy

Lamping 90CRI 9W 1100Im Lamp Life 15K hours

Input Voltage 120V 50/60Hz

Output Voltage 12V





Glass 120. Chandelier

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

Item Code

GLS-120	BAL			
Model	Finish	Chandelier	Temperature	
Model GLS-120	Glass 120	Ø4	ndant Dimension .75 20mm	Canopy Dime Ø12in X H1.25 Ø300mm X H
Finish				
BAL	Brushed Aluminun		terial	Weight
BBR	Brushed Brass		ıminum	12lbs
T		Gla	ISS	5.4kg
Type 07 13	Chandelier Chandelier		ounting Box	Temperature 2200K
19	Chandelier	5-1		2700K
31	Chandelier			3000K
37	Chandelier			3500K

ension 5in H32mm

'e

Dimming A. ELV B. 0-10V

Driver Integral in Canopy

Lamping 90CRI 12.6W 1540lm

Lamp Life 15K hours

Input Voltage 120V 50/60Hz

Output Voltage 12V

Certification

Standard cable length 10' additional extra

 ${\small @}$ 2023, anony. All rights reserved. For more information & replacement lamps email sales@anony.ca





Glass 120. Chandelier

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

Item Code

GLS-120	BBR		
Model	Finish	Chandelier Temperature	
Model GLS-120	Glass 120	Pendant Dimension Ø4.75 Ø120mm	Canopy Dim Ø12in X H1.25 Ø300mm X H
Finish			
BAL BBR	Brushed Aluminur Brushed Brass	n Material Aluminum Glass	Weight 12lbs 5.4kg
Туре			0
07 13 19 31 37	Chandelier Chandelier Chandelier Chandelier Chandelier	Mounting J-Box	Temperatur 2200K 2700K 3000K 3500K

nension 25in H32mm

'e

Dimming A. ELV B. 0-10V

Driver Integral in Canopy

Lamping 90CRI 12.6W 1540lm

Lamp Life 15K hours

Input Voltage 120V 50/60Hz

Output Voltage 12V

Certification

Standard cable length 10' additional extra

 ${\small @}$ 2023, anony. All rights reserved. For more information & replacement lamps email sales@anony.ca